

Key Features

- 3rd generation LED technology with a 30,000-hour lifespan
- 3,100 LED Lumens for bright and clear images in any environment
- Cinema SuperColor+™ Technology with 125% Rec.709 wide colour gamut
- 0.69-0.83 short throw ratio with auto V & H/V keystone for easy setup
- Custom-built speakers by Harman Kardon



Product Description

The X2 is ViewSonic's first lamp-free high brightness short throw smart projector for home. Powered by 3rd generation LED technology and 3,100 LED Lumens of brightness, the X2 replaces frequent lamp replacement and toxic mercury with immediate and immersive big-screen entertainment through instant on/off capability, cinematic colours covering 125% Rec.709, and an impressive lifespan of 30,000 hours. And with a 0.69-0.83 short throw ratio, you can go big even in small spaces with a 100" display from only 1.53m away. Dual speakers customised by Harman Kardon deliver powerful, room-filling sound for movie nights or music streamed directly from your smartphone, with the option to connect Bluetooth headphones for personal entertainment. Embedded Wi-Fi connectivity enables screen mirroring directly from smart devices to the big screen, making content streaming easier than ever. And with 1.2x optical zoom, H&V keystone, and 4-corner adjustment capabilities, setting up this 1080p projector is a breeze, even with limited space.



- | | |
|--|---|
| <ol style="list-style-type: none"> 1. Zoom/Focus Ring 2. Sliding Door 3. LED Indicator 4. Keypad 5. Front IR 6. Speakers 7. Audio Out | <ol style="list-style-type: none"> 8. Audio In 9. RS-232 10. USB-A (service) 11. HDMI 2.0 / HDCP2.2 x 2 12. USB-C (5V/1A) 13. USB A Reader (5V/1A) 14. Rear IR |
|--|---|

Visit Us ■ www.viewsonic.com

SPECIFICATION

Native Resolution:	1920x1080
DMD Type:	DC3
Brightness:	3100 (LED Lumens)
Contrast Ratio:	3000000:1
Display Colour:	1.07 Billion Colours
Light Source Type:	LED
Light Source Life (hours) with Normal Mode:	30000
Lamp Watt:	RGBG LED
Lens:	F=2.6-2.78, f=10.2-11.22mm
Projection Offset:	105%+/-5%
Throw Ratio:	0.69-0.83
Optical Zoom:	1.2X
Digital Zoom:	0.8x-2.0x
Image Size:	60"-120"(TBD)
Throw Distance:	0.92m-2.2m(100"@1.53m)
Keystone:	H:+/-40° , V:+/-40°
Audible Noise (Normal):	31dB (TBD)
Audible Noise (Eco):	27dB (TBD)
Local Storage:	Total 16GB (TBD)
Input Lag:	8.3ms
Resolution Support:	VGA(640 x 480) to 4K(3840 x 2160)
HDTV Compatibility:	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p
Horizontal Frequency:	15K-135KHz
Vertical Scan Rate:	23-120Hz

INPUT

HDMI:	2 (HDMI 2.0, HDCP 1.4/2.2)
USB Type C:	1 (5V/1A)
Audio-in (3.5mm):	1
Audio-in (Bluetooth):	1 (BT4.2)
USB Type A:	1(USB2.0 Reader x1)
Wifi Input:	1 (5Gn)

OUTPUT

Audio-out (3.5mm):	1
Audio-out (Bluetooth):	1 (BT4.2)
Speaker:	6W Cube x2(Full range x2)
USB Type A (Power):	1(USB2.0 - 5V/1A x1, share with USB A Input)

CONTROL

RS232 (DB 9-pin male):	1
USB Type A (Services):	1

OTHERS

Power Supply Voltage:	100-240V+/- 10%, 50/60Hz(AC in)
Operating Temperature:	0~40°C
Carton:	Colour
Net Weight:	3.6kg
Gross Weight:	5.5kg
Dimensions (WxDxH) with Adjustment Foot:	355x251x121mm
Packing Dimensions:	490x376x313mm
OSD Language:	English, French, Spanish, Thai, Korean, German, Italian, Russian, Swedish, Dutch, Polish, Czech, T-Chinese, S-Chinese, Japanese, Turkish, Portuguese, Finnish, Indonesian, India, Arabic, Vietnamese, Greek, Hungarian Total 24 languages
User Guide Language:	English, S-Chinese, T-Chinese, Indonesian, Finish, French, German, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Arabic, Czech, Thai, Vietnamese, total 20 languages

STANDARD ACCESSORY

Power Cord:	1
USB-C Cable:	1 (1m)
Remote Control:	1(w/ backlit)
QSG:	Yes

OPTIONAL ACCESSORY

Wall/Ceiling Mount:	PJ-WMK-007
---------------------	------------